



Michael J. Falco/US-Corporate/3M/US
01/03/2013 02:32 PM

To: Michael A. Nash/LA-Legal/3M/US@3M-Corporate
cc
bcc
Subject: Fw: Assessment of Long Chain Fluorochemical Use

REDACTED

Mike
Michael J Falco
3M
3M Materials EHS&R Manager
3M Center, Building 236-1B-10
St. Paul, MN 55144-1000
+1.651.736.2908 (direct line)
+1.651.733.1958 (FAX)
+1.651.308.5836 (GSM), E-mail; mjfalco1@mmm.com
Assistant: Lora Arndt, +1.651.733.1976

Notice: This e-mail, including any attached files, contains information that may be confidential. It is intended to be a private communication only for the recipient(s) named above. If you are not an intended recipient, please notify the sender immediately and delete or destroy this e-mail and all copies of it, including any attachments. The unauthorized receipt, use, dissemination, distribution, or reproduction of this e-mail, or any part of it, is not permitted and may be unlawful.

----- Forwarded by Michael J. Falco/US-Corporate/3M/US on 01/03/2013 01:30 PM -----

+

From: Steven M. Stensvad/US-Corporate/3M/US
To: Robert A. Yapel/US-Corporate/3M/US@3M-Corporate
Cc: David Coates/US-Corp02/3M/US@3M-Corporate@3M-Corporate, Michael J. Falco/US-Corporate/3M/US@3M-Corporate
Date: 12/21/2012 12:20 PM
Subject: Fw: Assessment of Long Chain Fluorochemical Use

You need to justify the future use (or even keeping any) of Easy Coat. If you read the letter below, corporate expects you to dispose of all material you have unless you can justify keeping it. Please respond to Michael Falco and copy me.

**Exhibit
2379**

State of Minnesota v. 3M Co.,
Court File No. 27-CV-10-28862

Steven M. Stensvad | Product Responsibility Specialist
SEMS Technology Center Product Safety Group
3M Center, 235-BE-03 | St Paul, MN 55144-1000
Office: 651 733 8837 | Fax: 651 737 1035
smstensvad3@mmm.com

SEMS Global Regulatory Engineering Intranet Page
3M Website: <http://www.3m.com/>

----- Forwarded by Steven M. Stensvad/US-Corporate/3M/US on 12/21/2012 12:12 PM -----

From: Michael J. Falco/US-Corporate/3M/US
To: Steven M. Stensvad/US-Corporate/3M/US@3M-Corporate
Cc: Roger D. Kuhn/US-Corporate/3M/US@3M-Corporate, Jason Bonk/US-Corporate/3M/US@3M-Corporate, Richard LaCroix/US-Maplewood/3M/US@3M-Corporate, Michael A. Nash/LA-Legal/3M/US@3M-Corporate, Briana L. Hagen/US-Corporate/3M/US@3M-Corporate, Steven D. Wytaske/US-Corporate/3M/US@3M-Corporate
Date: 12/20/2012 04:58 PM
Subject: Fw: Assessment of Long Chain Fluorochemical Use

Steve-

Please advise on the status. Unless there is a compelling business reason otherwise, use of this material needs to be discontinued promptly, the remaining stock properly disposed and the CDMS record obsoleted. Questions or concerns can be directed to me. Thanks.

Regards,
Mike
Michael J Falco
3M
3M Materials EHS&R Manager
3M Center, Building 236-1B-10
St. Paul, MN 55144-1000
+1.651.736.2908 (direct line)
+1.651.733.1958 (FAX)
+1.651.308.5836 (GSM), E-mail; mjfalco1@mmm.com
Assistant: Lora Arndt, +1.651.733.1976

Notice: This e-mail, including any attached files, contains information that may be confidential. It is intended to be a private communication only for the recipient(s) named above. If you are not an intended recipient, please notify the sender immediately and delete or destroy this e-mail and

all copies of it, including any attachments. The unauthorized receipt, use, dissemination, distribution, or reproduction of this e-mail, or any part of it, is not permitted and may be unlawful.

----- Forwarded by Michael J. Falco/US-Corporate/3M/US on 12/20/2012 03:44 PM -----

From: Michael J. Falco/US-Corporate/3M/US
To: Steven M. Stensvad/US-Corporate/3M/US@3M-Corporate
Cc: Roger D. Kuhn/US-Corporate/3M/US@3M-Corporate, Jason Bonk/US-Corporate/3M/US@3M-Corporate, Michael A. Nash/LA-Legal/3M/US@3M-Corporate, Richard LaCroix/US-Maplewood/3M/US@3M-Corporate
Date: 12/11/2012 03:48 PM
Subject: Re: Fw: Assessment of Long Chain Fluorochemical Use

Steve-

This material is a precursor to PFOA and other long chain perfluorinated acids which are anticipated to be persistent, bioaccumulative and toxic. For this and 3M policy reasons, it should no longer be used at all. Please advise the using groups to dispose of any remaining material and obsolete the CDMS record. If cessation of use creates a significant business impact, we can discuss how much time and effort is needed to substitute.

Please let me know if there are any questions. Thanks.

Regards,
Mike
Michael J Falco
3M
3M Materials EHS&R Manager
3M Center, Building 236-1B-10
St. Paul, MN 55144-1000
+1.651.736.2908 (direct line)
+1.651.733.1958 (FAX)
+1.651.308.5836 (GSM), E-mail; mjfalco1@mmm.com
Assistant: Lora Arndt, +1.651.733.1976

Notice: This e-mail, including any attached files, contains information that may be confidential. It is intended to be a private communication only for the recipient(s) named above. If you are not an intended recipient, please notify the sender immediately and delete or destroy this e-mail and all copies of it, including any attachments. The unauthorized receipt, use, dissemination, distribution, or reproduction of this e-mail, or any part of it, is not permitted and may be unlawful.

Steven M. Stensvad

This still an active material. It is only used internally in a quantity of 0.09% in...

12/11/2012 02:03:50 PM

From: Steven M. Stensvad/US-Corporate/3M/US
To: Michael J. Falco/US-Corporate/3M/US@3M-Corporate
Cc: Roger D. Kuhn/US-Corporate/3M/US@3M-Corporate, Jason Bonk/US-Corporate/3M/US@3M-Corporate, Michael A. Nash/LA-Legal/3M/US@3M-Corporate, Richard LaCroix/US-Maplewood/3M/US@3M-Corporate
Date: 12/11/2012 02:03 PM
Subject: Re: Fw: Assessment of Long Chain Fluorochemical Use

This still an active material. It is only used internally in a quantity of 0.09% in a solution used to extend the life of dies.

Steven M. Stensvad | Product Responsibility Specialist
SEMS Technology Center Product Safety Group
3M Center, 235-BE-03 | St Paul, MN 55144-1000
Office: 651 733 8837 | Fax: 651 737 1035
smstensvad3@mmm.com

SEMS Global Regulatory Engineering Intranet Page
3M Website: <http://www.3m.com/>

Michael J. Falco

Steve- I am still needing feedback as to whether this is an active material. Th...

12/11/2012 11:52:46 AM

From: Michael J. Falco/US-Corporate/3M/US
To: Steven M. Stensvad/US-Corporate/3M/US@3M-Corporate
Date: 12/11/2012 11:52 AM
Subject: Fw: Assessment of Long Chain Fluorochemical Use

Steve-

I am still needing feedback as to whether this is an active material. Thanks.

Regards,
Mike

Michael J Falco
3M
3M Materials EHS&R Manager
3M Center, Building 236-1B-10
St. Paul, MN 55144-1000
+1.651.736.2908 (direct line)
+1.651.733.1958 (FAX)
+1.651.308.5836 (GSM), E-mail; mjfalco1@mmm.com
Assistant: Lora Arndt, +1.651.733.1976

Notice: This e-mail, including any attached files, contains information that may be confidential. It is intended to be a private communication only for the recipient(s) named above. If you are not an intended recipient, please notify the sender immediately and delete or destroy this e-mail and all copies of it, including any attachments. The unauthorized receipt, use, dissemination, distribution, or reproduction of this e-mail, or any part of it, is not permitted and may be unlawful.

----- Forwarded by Michael J. Falco/US-Corporate/3M/US on 12/11/2012 11:51 AM -----

From: Roger D. Kuhn/US-Corporate/3M/US
To: Michael J. Falco/US-Corporate/3M/US@3M-Corporate, smstensvad3@mmm.com
Cc: Jason Bonk/US-Corporate/3M/US@3M-Corporate, Michael A. Nash/LA-Legal/3M/US@3M-Corporate
Date: 10/19/2012 03:30 PM
Subject: Re: Assessment of Long Chain Fluorochemical Use

Steve,

Please work with Mike to get his questions answered.

Mike,

Steve is the our main contact if you have questions about PRL concerns.

Regards,

Roger D. Kuhn
SEMS - Regulatory Engineering
Bldg. 235-3F-08
Tel: 651 736-0932
Fax: 651 737-3213

E-mail: rdkuhn@mmm.com

Michael J. Falco Roger- I am working on an assessment of potential long chain fluorochemical... 10/19/2012 03:16:13 PM

From: Michael J. Falco/US-Corporate/3M/US
To: Roger D. Kuhn/US-Corporate/3M/US@3M-Corporate
Cc: Jason Bonk/US-Corporate/3M/US@3M-Corporate, Michael A. Nash/LA-Legal/3M/US@3M-Corporate
Date: 10/19/2012 03:16 PM
Subject: Assessment of Long Chain Fluorochemical Use

Roger-

I am working on an assessment of potential long chain fluorochemical use in the company. A CDMS search identified this material record & associated product as containing a material in this concern category. Please advise if this material record is: active but the record is not accurate for this substance, obsolete, or still does represent the correct formulation / composition. If the record is obsolete or inaccurate, we ask that you fix the record in CDMS so we do not identify it in the future. If this fluorochemical constituent is still used, we will need a business plan to reformulate / discontinue the product.

If you are not the right person to resolve this, please advise who can.

If you have any questions, please contact me or Jason Bonk. Thanks for your help!

CDMS Doc Group Number	Product Trade Name	Business Unit	CAS	Component_Name
09-5676-3	EasyCoat	E1 - Engineering	CAS # 78560-44-8	PERFLUOROOCTYLETHYLTRICHLOROSILANE

Regards,
Mike
Michael J Falco
3M
3M Materials EHS&R Manager
3M Center, Building 236-1B-10
St. Paul, MN 55144-1000
+1.651.736.2908 (direct line)
+1.651.733.1958 (FAX)
+1.651.308.5836 (GSM), E-mail; mjfalco1@mmm.com
Assistant: Lora Arndt, +1.651.733.1976

Notice: This e-mail, including any attached files, contains information that may be confidential. It is intended to be a private communication only for the recipient(s) named above. If you are not an intended recipient, please notify the sender immediately and delete or destroy this e-mail and all copies of it, including any attachments. The unauthorized receipt, use, dissemination, distribution, or reproduction of this e-mail, or any part of it, is not permitted and may be unlawful.